

RISK ASSESSMENT FORM CARLTON TOWN FC

A.

Ref No:	001	Company:	Greenwood Cooling Services Ltd
Assessment type		Assessment date	Assessment carried out by
Initial		28/07/2020	M GREENWOOD
Review			
Location within workplace			
STOKE LANE GEDLING			

B.

Description of activity being assessed	Persons specifically at risk
TRAINING	Players, Coaches, officials

Severity	5	Probability	1	Rating	S x P =		Risk rating	5	L
-----------------	---	--------------------	---	---------------	----------------	--	--------------------	---	----------

No.	Significant hazard	Control measures needed	Control measure in place	
			No	Yes
1.	Covid -19	Temperature checks on arrival, return home if high		x
2.		Sanitisation posts on all entry and exit routes		x
3.		Single way walk ways marked and enforced		x
4.		Maximum group size currently 30 people		x
5.		Changing rooms closed		x
6.		Track & trace paperwork completed on arrival by all saved or 21 days		x
7.		Pre arrival information and induction letter read, completed & signed		x
8.				
9.				
10.				

Low risk rating will only be achieved if all the above control measures are implemented.

C.

Current risk rating		
Low	Medium	High

Low is the preferred acceptable risk rating.

1. Adequate control measures are in place and low risk rating achieved?	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>

RISK ASSESSMENT FORM CARLTON TOWN FC

2. Additional control measures are required from section B to reduce the risk rating to low?

3. Are other risk assessments required for this work activity? (tick below)

P.P.E D.S.E Pregnant Worker Other

Manual Handling C.O.S.H.H Young Worker

D.

Review frequency		
Low: annually	Medium: 3 - 6 months	High: 1 - 3 months

Review Date	Date reviewed	Reviewed by	Signature
10/08/2020			

E.

Assessed by	Signature	Date
M Greenwood		28/7/2020

Endorsed by	Signature	Date